

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1570	voltage near9 (change near3 frequenc\$3) same time	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 12:44
L5	32	l4 and "713".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 12:46
L6	5	l4 and ((extra or boost\$3 or additional or supplement\$2) near3 voltage) and g06f\$.ipc.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 12:49
L7	115752	voltage\$1 same frequenc\$3 same time	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 13:45
L8	2266	l7 and voltage near3 boost\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 13:45
L9	11	l8 and "713".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 13:49
L10	31	l8 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/01 13:49
S1	499	voltage adj1 droop	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:23
S2	301467	voltage near5 output\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:25
S3	32894	detect\$3 near5 voltage near5 signal	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:26
S4	25773	S2 and S3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:26
S5	5983	boost near5 voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:27
S6	90	boost near5 voltage near5 compensat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 10:28
S7	7	S4 and S5 and S6	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 11:06
S9	277931	voltage near5 control\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:13

S10	46122	power near7 S9	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:13
S11	33941	S10 and input\$1 and output\$1 and signal\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:14
S12	5983	boost near5 voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:14
S13	1642	S11 and S12	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:15
S14	532	S13 and bus	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:16
S15	42	S14 and current near7 processor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/28 15:16
S17	151178	voltage near3 level	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:30
S18	43290	S17 near5 signal	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:31
S19	9635	S18 and (power near3 level)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:31
S20	6558	S19 and voltage near7 (output and input)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:32
S21	482	S20 and (boost near5 voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:32
S22	362	S21 and reference near3 voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 08:33
S23	76	S22 and current near7 change	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:46
S24	138467	current near3 power	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:47
S25	1182	change near3 S24 and voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:47
S26	817	supply near3 power and S25	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:48

S27	114	S26 and (microprocessor\$1 or processor\$1) and (drop or droop)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:48
S28	10916	comput\$3 near3 load	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 09:49
S29	6	S27 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 11:04
S30	605623	microprocessor\$1 or processor\$1 or cpu\$1 or (central adj processing adj unit\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 11:05
S31	352	S30 near5 (change near3 current)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 11:16
S32	77	S31 and reference near3 voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 15:12
S33	298	power adj distribution adj bus	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/29 15:25